

# AN ISO 25 INOX-RAME

# DOPPIAPARETE INOX ISO 25 RAME

## Elemento lineare 1000 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2501080	122,55	80	130	✓
R2501100	142,46	100	150	✓
R2501130	169,03	130	180	✓
R2501150	188,34	150	200	✓
R2501180	215,37	180	230	✓
R2501200	236,17	200	250	✓
R2501250	284,06	250	300	✓
R2501300	330,99	300	350	✓

## Elemento lineare 500 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2502080	74,28	80	130	✓
R2502100	84,04	100	150	✓
R2502130	99,19	130	180	✓
R2502150	109,54	150	200	✓
R2502180	122,45	180	230	✓
R2502200	134,70	200	250	✓
R2502250	161,54	250	300	✓
R2502300	187,40	300	350	✓

## Elemento lineare 330 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2503080	55,02	80	130	✓
R2503100	60,97	100	150	✓
R2503130	70,90	130	180	✓
R2503150	78,00	150	200	✓
R2503180	86,81	180	230	✓
R2503200	96,58	200	250	✓
R2503250	112,61	250	300	✓
R2503300	128,56	300	350	✓

## Elemento lineare 250 mm

gsv 23



CODICE	€ pz.	Øi	Øe	
R2505080	55,02	80	130	✓
R2505100	60,97	100	150	✓
R2505130	70,90	130	180	✓
R2505150	78,00	150	200	✓
R2505180	86,81	180	230	✓
R2505200	96,58	200	250	✓
R2505250	112,61	250	300	✓
R2505300	128,56	300	350	✓

## Elemento telescopico/ regolabile 260 - 390 mm

gsv 03



CODICE	€ pz.	Øi	Øe	
R2509080	108,14	80	130	✓
R2509100	119,98	100	150	✓
R2509130	130,59	130	180	✓
R2509150	142,39	150	200	✓
R2509180	166,25	180	230	✓
R2509200	175,41	200	250	✓
R2509250	136,20	250	300	✓
R2509300	245,99	300	350	✓

Per TENUTA P1 utilizzare  
2 guarnizioni: 1 stesso DN della  
canna fumaria e 1 di un DN  
inferiore della canna fumaria

## Elemento prelievo fumi monoforo

gsv 03



CODICE	€ pz.	Øi	Øe	
R2595080	95,75	80	130	✓
R2595100	102,57	100	150	✓
R2595130	115,26	130	180	✓
R2595150	122,99	150	200	✓
R2595180	136,29	180	230	✓
R2595200	147,02	200	250	✓
R2595250	168,90	250	300	✓
R2595300	188,94	300	350	✓

## Tappo per prelievo fumi

gsv 01



CODICE	€ pz.	
I2595000	29,93	✓

## Elemento lineare con saracinesca

gsv 03



CODICE	€ pz.	Øi	Øe	
R2597080	a richiesta	80	130	
R2597100	a richiesta	100	150	
R2597130	a richiesta	130	180	
R2597150	a richiesta	150	200	
R2597180	a richiesta	180	230	
R2597200	a richiesta	200	250	
R2597250	a richiesta	250	300	
R2597300	a richiesta	300	350	

## Elemento prelievo fumi due fori con termometro

gsv 03



CODICE	€ pz.	Øi	Øe	
R25980801	non disponibile	80	130	
R25981001	non disponibile	100	150	
R25981301	180,12	130	180	✓
R25981501	195,04	150	200	✓
R25981801	217,79	180	230	✓
R25982001	229,80	200	250	✓
R25982501	262,56	250	300	✓
R25983001	296,23	300	350	✓

## Elemento prelievo fumi con termometro e piastra

gsv 03



CODICE	€ pz.	Øi	Øe	
R2598080	non disponibile	80	130	
R2598100	non disponibile	100	150	
R2598130	377,50	130	180	✓
R2598150	387,50	150	200	✓
R2598180	409,76	180	230	✓
R2598200	419,82	200	250	✓
R2598250	454,45	250	300	✓
R2598300	490,04	300	350	✓

## Elemento ispezione con portello

gsv 03



TENUTA N1

CODICE	€ pz.	Øi	Øe	
R2511080	non disponibile	80	130	
R2511100	non disponibile	100	150	
R2511130	281,76	130	180	✓
R2511150	290,44	150	200	✓
R2511180	309,80	180	230	✓
R2511200	318,60	200	250	✓
R2511250	383,86	250	300	✓
R2511300	413,48	300	350	✓

## Elemento ispezione con tappo

gsv 03



TENUTA P1

CODICE	€ pz.	Øi	Øe	
R2575080	142,45	80	130	✓
R2575100	157,82	100	150	✓
R2575130	197,78	130	180	✓
R2575150	214,12	150	200	✓
R2575180	261,82	180	230	✓
R2575200	283,62	200	250	✓
R2575250	336,51	250	300	✓
R2575300	379,12	300	350	✓



# AN ISO 25 INOX-RAME

Raccordo a T 90°  
con ispezione lato  
opposto T 200°

GSV 03



CODICE	€ pz.	Øi	Øe	
R25200801	397,48	80	130	
R25201001	436,95	100	150	
R25201301	542,91	130	180	
R25201501	585,11	150	200	
R25201801	706,76	180	230	
R25202001	763,84	200	250	
R25202501	987,11	250	300	
R25203001	1.106,19	300	350	

Raccordo a T 90°  
con ispezione lato  
opposto T 600°

GSV 03



CODICE	€ pz.	Øi	Øe	
R25200802	429,27	80	130	
R25201002	471,91	100	150	
R25201302	586,36	130	180	
R25201502	631,94	150	200	
R25201802	763,32	180	230	
R25202002	824,93	200	250	
R25202502	1.066,09	250	300	
R25203002	1.194,64	300	350	

Raccordo a T 90°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2520080	132,87	80	130	✓
R2520100	144,84	100	150	✓
R2520130	178,29	130	180	✓
R2520150	191,18	150	200	✓
R2520180	227,63	180	230	✓
R2520200	245,47	200	250	✓
R2520250	347,26	250	300	✓
R2520300	387,09	300	350	✓

■ H utile = 270 mm  
● H utile = 440 mm  
▲ H utile = 490 mm

Raccordo a T 90°  
derivazione 80 mm

GSV 03



CODICE	€ pz.	Øi	Øe	
R2522080	103,07	80	130	✓
R2522100	111,35	100	150	✓
R2522130	119,12	130	180	✓
R2522150	129,28	150	200	✓
R2522180	160,86	180	230	✓
R2522200	172,18	200	250	✓
R2522250	221,55	250	300	✓
R2522300	249,71	300	350	✓

H utile = 190 mm

Raccordo a T 135°

GSV 03



CODICE	€ pz.	Øi	Øe	
R2521080	304,55	80	130	
R2521100	327,05	100	150	
R2521130	409,75	130	180	
R2521150	424,29	150	200	
R2521180	467,72	180	230	
R2521200	567,11	200	250	
R2521250	690,44	250	300	
R2521300	776,02	300	350	

Tappo con drenaggio  
3/4"

GSV 03



CODICE	€ pz.	Øi	Øe	
R2529080	80,24	80	130	✓
R2529100	82,88	100	150	✓
R2529130	91,49	130	180	✓
R2529150	101,02	150	200	✓
R2529180	117,08	180	230	✓
R2529200	123,43	200	250	✓
R2529250	141,16	250	300	✓
R2529300	158,36	300	350	✓

Scarico condensa  
laterale

GSV 03



Tappo ottone  
nichelato dn 3/4"  
femmina compreso  
di guarnizione

GSV 18



Tappo con maniglia  
cieco

GSV 03



Adattatore mono (M)  
doppia parete (F)  
(raccordo caldaia)

GSV 03



Raccordo  
mono (F) - doppia (F)  
(raccordo caldaia)

GSV 03



Adattatore doppia (M)  
monoparete (F)

GSV 03



# DOPPIAPARETE INOX ISO 25 RAME

CODICE	€ pz.	Øi	Øe	
R2529080A	151,40	80	130	
R2529100A	167,98	100	150	
R2529130A	182,83	130	180	
R2529150A	199,34	150	200	
R2529180A	232,75	180	230	
R2529200A	245,57	200	250	
R2529250A	190,68	250	300	
R2529300A	344,39	300	350	

CODICE	€ pz.	Q.tà	Ø	
M025080Z	4,77			✓

CODICE	€ pz.	Øi	Øe	
R2525080	84,93	80	130	✓
R2525100	87,65	100	150	✓
R2525130	96,62	130	180	✓
R2525150	106,77	150	200	✓
R2525180	124,55	180	230	✓
R2525200	130,71	200	250	✓
R2525250	149,31	250	300	✓
R2525300	167,33	300	350	✓

CODICE	€ pz.	Øi	Øe	
R2568080080	72,03	80	130	✓
R2568100100	78,79	100	150	✓
R2568130130	91,44	130	180	✓
R2568150150	103,92	150	200	✓
R2568180180	115,17	180	230	✓
R2568200200	124,55	200	250	✓
R2568250250	144,02	250	300	✓
R2568300300	170,82	300	350	✓

CODICE	€ pz.	Øi	Øe	
R2568080080F	79,23	80	130	
R2568100100F	86,67	100	150	
R2568130130F	100,58	130	180	
R2568150150F	114,31	150	200	
R2568180180F	126,69	180	230	
R2568200200F	137,01	200	250	
R2568250250F	158,42	250	300	
R2568300300F	187,91	300	350	

CODICE	€ pz.	Øi	Øe	
R2578080	72,03	80	130	✓
R2578100	78,79	100	150	✓
R2578130	91,44	130	180	✓
R2578150	103,92	150	200	✓
R2578180	115,17	180	230	✓
R2578200	124,55	200	250	✓
R2578250	144,02	250	300	✓
R2578300	170,82	300	350	✓



# AN ISO 25 INOX-RAME

## Piastra intermedia supporto a muro

gsv 03



CODICE	€ pz.	Øi	Øe	
R25820801	139,85	80	130	✓
R25821001	152,09	100	150	✓
R25821301	179,49	130	180	✓
R25821501	199,09	150	200	✓
R25821801	236,60	180	230	✓
R25822001	254,97	200	250	✓
R25822501	274,17	250	300	✓
R25823001	332,81	300	350	✓

## Piastra ancoraggio con drenaggio laterale

gsv 03



CODICE	€ pz.	Øi	Øe	
R2591080	172,77	80	130	✓
R2591100	182,40	100	150	✓
R2591130	208,52	130	180	✓
R2591150	219,00	150	200	✓
R2591180	248,71	180	230	✓
R2591200	259,73	200	250	✓
R2591250	301,64	250	300	✓
R2591300	383,29	300	350	✓

## Coppia spalle supporto a muro

gsv 03



CODICE	€ pz.	Øi	Øe	
R25820802	90,08	80	130	✓
R25821002	100,15	100	150	✓
R25821302	116,43	130	180	✓
R25821502	131,00	150	200	✓
R25821802	149,74	180	230	✓
R25822002	163,11	200	250	✓
R25822502	199,64	250	300	✓
R25823002	240,15	300	350	✓

## Gomito a 90°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2515080	125,02	80	130	✓
R2515100	132,79	100	150	✓
R2515130	153,20	130	180	✓
R2515150	175,84	150	200	✓
R2515180	206,86	180	230	✓
R2515200	227,25	200	250	✓
R2515250	278,70	250	300	✓
R2515300	339,82	300	350	✓

## Gomito a 45°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2517080	70,64	80	130	✓
R2517100	75,36	100	150	✓
R2517130	87,13	130	180	✓
R2517150	100,17	150	200	✓
R2517180	117,63	180	230	✓
R2517200	129,49	200	250	✓
R2517250	159,88	250	300	✓
R2517300	196,21	300	350	✓

## Gomito a 30°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2519080	70,64	80	130	✓
R2519100	75,36	100	150	✓
R2519130	87,13	130	180	✓
R2519150	100,17	150	200	✓
R2519180	117,63	180	230	✓
R2519200	129,49	200	250	✓
R2519250	159,88	250	300	✓
R2519300	196,21	300	350	✓

## Gomito a 15°

gsv 03



CODICE	€ pz.	Øi	Øe	
R2518080	70,64	80	130	✓
R2518100	75,36	100	150	✓
R2518130	87,13	130	180	✓
R2518150	100,17	150	200	✓
R2518180	117,63	180	230	✓
R2518200	129,49	200	250	✓
R2518250	159,88	250	300	✓
R2518300	196,21	300	350	✓

## Gomito a 90° con ispezione T 200°

gsv 03



CODICE	€ pz.	Øi	Øe	
R25150801	a richiesta	80	130	
R25151001	a richiesta	100	150	
R25151301	a richiesta	130	180	
R25151501	a richiesta	150	200	
R25151801	a richiesta	180	230	
R25152001	a richiesta	200	250	
R25152501	a richiesta	250	300	
R25153001	a richiesta	300	350	

## Bicchieri di montaggio

gsv 03



CODICE	€ pz.	Øe	
R055130	34,66	130	
R055150	37,46	150	
R055180	40,37	180	
R055200	43,07	200	
R055230	46,58	230	
R055250	50,19	250	
R055300	56,79	300	
R055350	65,61	350	

## Terminale controventato

gsv 03



CODICE	€ pz.	Øi	Øe	
R2536080	123,52	80	130	✓
R2536100	139,62	100	150	✓
R2536130	163,61	130	180	✓
R2536150	196,96	150	200	✓
R2536180	226,99	180	230	✓
R2536200	252,61	200	250	✓
R2536250	287,40	250	300	✓
R2536300	340,89	300	350	✓

## Terminale parapioggia

gsv 03



CODICE	€ pz.	Øi	Øe	
R2537080	105,42	80	130	✓
R2537100	115,26	100	150	✓
R2537130	137,58	130	180	✓
R2537150	153,77	150	200	✓
R2537180	184,57	180	230	✓
R2537200	194,33	200	250	✓
R2537250	208,66	250	300	✓
R2537300	273,07	300	350	✓

## Cono terminale

gsv 03



CODICE	€ pz.	Øi	Øe	
R2538080	79,61	80	130	✓
R2538100	94,12	100	150	✓
R2538130	103,61	130	180	✓
R2538150	132,27	150	200	✓
R2538180	140,11	180	230	✓
R2538200	158,30	200	250	✓
R2538250	187,24	250	300	✓
R2538300	202,13	300	350	✓



# AN ISO 25 INOX-RAME

## Terminale eolico

gsv 03



CODICE	€ pz.	Øi	Øe	
S450080R	285,25	80	130	
S450100R	258,79	100	150	
S450130R	285,89	130	180	
S450150R	293,65	150	200	
S450180R	323,17	180	230	
S450200R	335,14	200	250	
S450250R	384,10	250	300	
S450300R	452,59	300	350	

## Griglia per aria di compensazione

gsv 03



CODICE	€ pz.	Øi	Øe	
R2588080	a richiesta	80	130	
R2588100	a richiesta	100	150	
R2588130	a richiesta	130	180	
R2588150	a richiesta	150	200	
R2588180	a richiesta	180	230	
R2588200	a richiesta	200	250	
R2588250	a richiesta	250	300	
R2588300	a richiesta	300	350	

## Attraversamento a tetto H = 650 mm

gsv 03



CODICE	€ pz.	ØP	Øest-F	Øi	Øe	
R2596080	739,47	150	300	80	130	✓
R2596100	837,81	170	300	100	150	✓
R2596130	992,36	200	350	130	180	✓
R2596150	1.057,69	220	350	150	200	✓
R2596180	1.207,28	250	400	180	230	✓
R2596200	1.272,80	270	400	200	250	✓
R2596250	1.466,07	320	450	250	300	✓
R2596300	1.741,32	370	500	300	350	✓

## Attraversamento a tetto H = 1000 mm

gsv 03



CODICE	€ pz.	ØP	Øest-F	Øi	Øe	
R2596080A	1.257,11	150	300	80	130	✓
R2596100A	1.424,27	170	300	100	150	✓
R2596130A	1.687,00	200	350	130	180	✓
R2596150A	1.798,07	220	350	150	200	✓
R2596180A	2.052,37	250	400	180	230	✓
R2596200A	2.163,76	270	400	200	250	✓
R2596250A	2.492,33	320	450	250	300	✓
R2596300A	2.960,24	370	500	300	350	✓

## Scossalina per attraversamento a tetto maggiorata

gsv 03



CODICE	€ pz.	Øe	
R056130T	183,29	130	✓
R056150T	192,54	150	✓
R056180T	226,42	180	✓
R056200T	261,20	200	✓
R056230T	299,54	230	✓
R056250T	344,54	250	✓
R056300T	395,92	300	✓
R056350T	456,49	350	✓

## Scossalina standard

gsv 03



CODICE	€ pz.	Øe	
R056130	58,18	130	✓
R056150	65,47	150	✓
R056180	85,93	180	✓
R056200	92,99	200	✓
R056230	98,95	230	✓
R056250	107,54	250	✓
R056300	118,69	300	✓
R056350	151,02	350	✓

# DOPPIAPARETE INOX ISO 25 RAME

## Faldale regolabile 5°/30° con base in alluminio

gsv 03



CODICE	€ pz.	Dim. mm	Øe	
R051130	127,28	850X550	130	✓
R051150	135,86	850X550	150	✓
R051180	166,76	1000X650	180	✓
R051200	188,41	1000X650	200	✓
R051230	200,90	1000X650	230	✓
R051250	216,27	1000X650	250	✓
R051300	217,21	1000X750	300	✓
R051350	304,76	1000X750	350	✓
R051400	308,78	1000X1000	400	✓
R051450	365,22	1000X1000	450	✓
R051500	414,02	1000X1000	500	✓

## Faldale piatto con base in alluminio


gsv 03



CODICE	€ pz.	Dim. mm	Øe	
R053130	127,28	550X650	130	✓
R053150	135,86	550X650	150	✓
R053180	166,76	650X750	180	✓
R053200	188,41	650X750	200	✓
R053230	200,90	650X750	230	✓
R053250	216,27	650X750	250	✓
R053300	217,21	750X850	300	✓
R053350	304,76	750X750	350	✓
R053400	308,78	1000X1000	400	✓
R053450	365,22	1000X1000	450	✓
R053500	414,02	1000X1000	500	✓

## Faldale regolabile 5°/30° con base in piombo maggiorata

gsv 03



CODICE	€ pz.	Dim. mm	Øe	
R051130PM	197,50	1000X700	130	✓
R051150PM	197,50	1000X700	150	✓
R051180PM	217,25	1000X800	180	✓
R051200PM	217,25	1000X800	200	✓
R051230PM	256,75	1000X800	230	✓
R051250PM	256,75	1000X800	250	✓
R051300PM	296,25	1100X1000	300	✓
R051350PM	434,50	1100X1000	350	✓
R051400PM	434,50	1100X1000	400	✓

## Faldale regolabile 5°/30° con base in alluminio estensibile plissettato


gsv 03



CODICE	€ pz.	Dim. mm	Øe	
R051130PL	199,67	900X600	130	✓
R051150PL	199,67	900X600	150	✓
R051180PL	199,67	900X900	180	✓
R051200PL	199,67	900X900	200	✓
R051250PL	230,39	900X900	250	✓
R051300PL	230,39	900X900	300	✓
R051350PL	255,99	900X900	350	✓

## Rosone coprimuro rame (in 2 pezzi) piatto

gsv 03



CODICE	€ pz.	Ø	
R057130	56,94	130	✓
R057150	58,77	150	✓
R057180	61,69	180	✓
R057200	63,76	200	✓
R057230	67,06	230	✓
R057250	69,39	250	✓
R057300	75,65	300	✓
R057350	82,54	350	✓
R057400	90,07	400	✓
R057450	98,23	450	✓
R057500	107,03	500	✓

## Rosone coprimuro rame (in 2 pezzi) inclinato

gsv 03



CODICE	€ pz.	Ø	
R058130	58,68	130	✓
R058150	60,61	150	✓
R058180	63,68	180	✓
R058200	65,87	200	✓
R058230	69,32	230	✓
R058250	71,76	250	✓
R058300	78,28	300	✓
R058350	85,43	350	✓
R058400	93,21	400	✓
R058450	101,63	450	✓
R058500	110,68	500	✓

# AN ISO 25 INOX-RAME

Guarnizione per condensazione



PEZZO DI RICAMBIO

CODICE	€ pz.	Øi	
M052080	0,91	80	✓
M052100	1,67	100	✓
M052130	2,29	130	✓
M052150	3,00	150	✓
M052180	4,05	180	✓
M052200	5,24	200	✓
M052250	7,44	250	✓
M052300	9,53	300	✓

Guarnizione per condensazione azzurra

gsv 04



TENUTA H1 500 Pa

CODICE	€ pz.	Øi	
M052080H1	0,96	80	✓
M052100H1	1,75	100	✓
M052130H1	2,41	130	✓
M052150H1	3,16	150	✓
M052180H1	4,25	180	✓
M052200H1	5,50	200	✓
M052250H1	7,81	250	✓
M052300H1	10,01	300	✓

Fascetta di chiusura / bloccaggio elementi

gsv 03




H = 30 mm

CODICE	€ pz.	Øe	
R083130	12,78	130	✓
R083150	13,11	150	✓
R083180	13,60	180	✓
R083200	13,97	200	✓
R083230	14,40	230	✓
R083250	15,16	250	✓
R083300	16,17	300	✓
R083350	17,41	350	✓

Fascetta / collare a muro regolabile 50 - 80 mm

gsv 03




H = 40 mm

CODICE	€ pz.	Øe	
R094130	35,06	130	✓
R094150	42,68	150	✓
R094180	48,69	180	✓
R094200	53,55	200	✓
R094230	55,80	230	✓
R094250	59,14	250	✓
R094300	64,62	300	✓
R094350	79,82	350	✓

# DOPPIAPARETE INOX ISO 25 RAME

Coppia prolunghe per fascetta a muro

gsv 03



H = 40 mm

CODICE	€ COPPIA	LUNGH.	
R0930001	79,78	230 mm	✓
R0930002	99,72	480 mm	✓

Fascetta per cavi tiranti

gsv 03



H = 40 mm

CODICE	€ pz.	Øe	
R090130	32,19	130	✓
R090150	39,24	150	✓
R090180	44,78	180	✓
R090200	49,26	200	✓
R090230	51,37	230	✓
R090250	54,41	250	✓
R090300	59,42	300	✓
R090350	73,48	350	✓

Kit fissaggio 4 tasselli dn 12 bullone m8x60 inox/inox

gsv 18



CODICE	€ pz.	
S401001	3,66	✓

