

AN OVALE

Elemento lineare 1000 mm

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM501110	71,77	110		
OM501120	74,36	120		
OM501130	77,35	130		
OM501140	80,27	140		
OM501150	83,63	150		
OM501160	86,13	160		
OM501180	92,88	180		
OM501200	99,47	200		
OM501220	106,96	220		
OM501230	115,62	230		
OM501240	116,30	240		
OM501250	117,04	250		
OM501270	134,65	270		
OM501300	148,66	300		

Elemento lineare 500 mm

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM502110	56,61	110		
OM502120	58,10	120		
OM502130	59,60	130		
OM502140	61,12	140		
OM502150	62,83	150		
OM502160	64,59	160		
OM502180	67,63	180		
OM502200	70,46	200		
OM502220	73,93	220		
OM502230	78,59	230		
OM502240	78,59	240		
OM502250	78,59	250		
OM502270	89,76	270		
OM502300	97,47	300		

Elemento lineare 250 mm

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM503110	48,59	110		
OM503120	49,27	120		
OM503130	50,26	130		
OM503140	51,11	140		
OM503150	52,11	150		
OM503160	53,11	160		
OM503180	55,10	180		
OM503200	57,00	200		
OM503220	58,93	220		
OM503230	62,96	230		
OM503240	62,96	240		
OM503250	62,96	250		
OM503270	70,26	270		
OM503300	74,93	300		

Elemento con portello d'ispezione rettangolare

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM511110	222,69	110		
OM511120	222,69	120		
OM511130	237,46	130		
OM511140	242,41	140		
OM511150	252,22	150		
OM511160	257,21	160		
OM511180	271,96	180		
OM511200	276,87	200		
OM511220	281,82	220		
OM511230	291,64	230		
OM511240	291,64	240		
OM511250	291,64	250		
OM511270	316,32	270		
OM511300	316,32	300		

Elemento d'ispezione con tappo tondo

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM575110	142,31	110		
OM575120	142,31	120		
OM575130	145,30	130		
OM575140	147,34	140		
OM575150	151,33	150		
OM575160	157,31	160		
OM575180	169,51	180		
OM575200	181,60	200		
OM575220	188,66	220		
OM575230	204,87	230		
OM575240	204,87	240		
OM575250	214,77	250		
OM575270	221,70	270		
OM575300	224,93	300		

Raccordo a T 90° con derivazione tonda femmina

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM520110	99,47	110		
OM520120	99,47	120		
OM520130	100,46	130		
OM520140	101,46	140		
OM520150	103,53	150		
OM520160	107,56	160		
OM520180	116,74	180		
OM520200	123,81	200		
OM520220	130,90	220		
OM520230	147,06	230		
OM520240	147,06	240		
OM520250	147,06	250		
OM520270	147,06	270		
OM520300	157,23	300		

Raccordo a T 90° con derivazione tonda speciale

gsv 28



MONOPARETE INOX AISI 316L OVALE

CODICE	€ pz.	Q.tà	Ø	
OM520110S	106,56	110		
OM520120S	106,56	120		
OM520130S	107,56	130		
OM520140S	108,56	140		
OM520150S	110,63	150		
OM520160S	111,63	160		
OM520180S	121,73	180		
OM520200S	128,81	200		
OM520220S	134,89	220		
OM520230S	152,16	230		
OM520240S	152,16	240		
OM520250S	152,16	250		
OM520270S	152,16	270		
OM520300S	162,33	300		

Raccordo a T 135°

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM521110	152,85	110		
OM521120	152,85	120		
OM521130	164,81	130		
OM521140	171,51	140		
OM521150	178,09	150		
OM521160	191,34	160		
OM521180	197,94	180		
OM521200	205,94	200		
OM521220	217,88	220		
OM521230	231,12	230		
OM521240	231,12	240		
OM521250	231,12	250		
OM521270	231,12	270		
OM521300	270,89	300		

Scarico condensa 3/4"

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM029110	67,87	110		
OM029120	67,87	120		
OM029130	69,77	130		
OM029140	70,77	140		
OM029150	72,77	150		
OM029160	74,77	160		
OM029180	77,67	180		
OM029200	82,64	200		
OM029220	86,63	220		
OM029230	92,52	230		
OM029240	92,52	240		
OM029250	92,52	250		
OM029270	99,39	270		
OM029300	102,34	300		

Tappo cieco

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM025110	67,87	110		
OM025120	67,87	120		
OM025130	69,77	130		
OM025140	70,77	140		
OM025150	72,77	150		
OM025160	74,77	160		
OM025180	77,67	180		
OM025200	82,64	200		
OM025220	86,63	220		
OM025230	92,52	230		
OM025240	92,52	240		
OM025250	92,52	250		
OM025270	99,39	270		
OM025300	102,34	300		

Elemento prelievo fumi monoforo

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM595110	59,60	110		
OM595120	61,29	120		
OM595130	62,12	130		
OM595140	65,44	140		
OM595150	67,26	150		
OM595160	69,63	160		
OM595180	70,77	180		
OM595200	72,93	200		
OM595220	76,76	220		
OM595230	81,27	230		
OM595240	81,27	240		
OM595250	81,27	250		
OM595270	85,10	270		
OM595300	86,46	300		

Elemento prelievo fumi con due fori e termometro

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM5981101	237,46	110		
OM5981201	237,46	120		
OM5981301	247,28	130		
OM5981401	252,22	140		
OM5981501	257,21	150		
OM5981601	262,16	160		
OM5981801	271,96	180		
OM5982001	276,87	200		
OM5982201	281,82	220		
OM5982301	291,64	230		
OM5982401	291,64	240		
OM5982501	291,64	250		
OM5982701	306,53	270		
OM5983001	311,44	300		

AN OVALE

Gomito 45° in costa

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM517110C	79,63	110		
OM517120C	79,63	120		
OM517130C	81,54	130		
OM517140C	82,54	140		
OM517150C	83,54	150		
OM517160C	84,54	160		
OM517180C	87,44	180		
OM517200C	91,43	200		
OM517220C	96,39	220		
OM517230C	107,19	230		
OM517240C	107,19	240		
OM517250C	107,19	250		
OM517270C	114,16	270		
OM517300C	121,03	300		

Gomito 30° in costa

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM519110C	79,63	110		
OM519120C	79,63	120		
OM519130C	81,54	130		
OM519140C	82,54	140		
OM519150C	83,54	150		
OM519160C	84,54	160		
OM519180C	87,44	180		
OM519200C	91,43	200		
OM519220C	96,39	220		
OM519230C	107,19	230		
OM519240C	107,19	240		
OM519250C	107,19	250		
OM519270C	114,16	270		
OM519300C	121,03	300		

Gomito 45° frontale

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM517110F	79,63	110		
OM517120F	79,63	120		
OM517130F	81,54	130		
OM517140F	82,54	140		
OM517150F	83,54	150		
OM517160F	84,54	160		
OM517180F	87,44	180		
OM517200F	91,43	200		
OM517220F	96,39	220		
OM517230F	107,19	230		
OM517240F	107,19	240		
OM517250F	107,19	250		
OM517270F	114,16	270		
OM517300F	121,03	300		

Gomito 30° frontale

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM519110F	79,63	110		
OM519120F	79,63	120		
OM519130F	81,54	130		
OM519140F	82,54	140		
OM519150F	83,54	150		
OM519160F	84,54	160		
OM519180F	87,44	180		
OM519200F	91,43	200		
OM519220F	96,39	220		
OM519230F	107,19	230		
OM519240F	107,19	240		
OM519250F	107,19	250		
OM519270F	114,16	270		
OM519300F	121,03	300		

Piastra di ancoraggio con drenaggio laterale

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM591110	101,62	110		
OM591120	102,62	120		
OM591130	105,13	130		
OM591140	107,47	140		
OM591150	109,96	150		
OM591160	113,98	160		
OM591180	122,81	180		
OM591200	129,31	200		
OM591220	132,80	220		
OM591230	136,65	230		
OM591240	136,65	240		
OM591250	136,65	250		
OM591270	153,48	270		
OM591300	155,15	300		

Piastra intermedia supporto a muro

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM5821101	98,94	110		
OM5821201	98,94	120		
OM5821301	106,65	130		
OM5821401	112,38	140		
OM5821501	120,04	150		
OM5821601	127,71	160		
OM5821801	133,57	180		
OM5822001	143,23	200		
OM5822201	148,89	220		
OM5822301	160,83	230		
OM5822401	160,83	240		
OM5822501	160,83	250		
OM5822701	182,18	270		
OM5823001	182,18	300		

MONOPARETE INOX AISI 316L OVALE

Coppia spalle supporto a muro

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM5821102	76,76	110		
OM5821202	76,76	120		
OM5821302	80,44	130		
OM5821402	80,44	140		
OM5821502	84,11	150		
OM5821602	87,77	160		
OM5821802	93,28	180		
OM5822002	100,62	200		
OM5822202	100,62	220		
OM5822302	117,14	230		
OM5822402	117,14	240		
OM5822502	117,14	250		
OM5822702	135,49	270		
OM5823002	135,49	300		

Raccordo tondo (M) - ovale (F)

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM09110	72,73	110		
OM09120	124,15	120		
OM09130	124,15	130		
OM09140	126,15	140		
OM09150	135,96	150		
OM09160	142,31	160		
OM09180	165,49	180		
OM09200	175,50	200		
OM09220	181,32	220		
OM09230	187,19	230		
OM09240	195,53	240		
OM09250	195,53	250		
OM09270	228,05	270		
OM09300	243,04	300		

Raccordo ovale (M) - tondo (F)

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM10110	72,73	110		
OM10120	124,15	120		
OM10130	124,15	130		
OM10140	126,15	140		
OM10150	135,96	150		
OM10160	142,31	160		
OM10180	165,49	180		
OM10200	175,50	200		
OM10220	181,32	220		
OM10230	187,19	230		
OM10240	195,53	240		
OM10250	195,53	250		
OM10270	228,05	270		
OM10300	243,04	300		

Terminale controventato

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM536110	128,61	110		
OM536120	128,61	120		
OM536130	131,73	130		
OM536140	134,80	140		
OM536150	138,99	150		
OM536160	149,33	160		
OM536180	169,91	180		
OM536200	190,59	200		
OM536220	200,92	220		
OM536230	221,55	230		
OM536240	221,55	240		
OM536250	221,55	250		
OM536270	252,54	270		
OM536300	262,87	300		

Terminale parapioggia

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM537110	92,36	110		
OM537120	92,36	120		
OM537130	96,39	130		
OM537140	98,47	140		
OM537150	101,46	150		
OM537160	103,53	160		
OM537180	107,56	180		
OM537200	112,62	200		
OM537220	119,73	220		
OM537230	139,99	230		
OM537240	139,99	240		
OM537250	139,99	250		
OM537270	157,23	270		
OM537300	162,33	300		

Crociera di centraggio

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM033110	57,00	110		
OM033120	57,00	120		
OM033130	57,00	130		
OM033140	58,01	140		
OM033150	58,01	150		
OM033160	58,93	160		
OM033180	58,93	180		
OM033200	59,92	200		
OM033220	61,91	220		
OM033230	63,96	230		
OM033240	63,96	240		
OM033250	63,96	250		
OM033270	64,87	270		
OM033300	64,87	300		

AN OVALE

Fascetta di sicurezza

gsv 28



CODICE	€ pz.	Q.tà	Ø	
OM030110	42,17	110		
OM030120	42,17	120		
OM030130	44,68	130		
OM030140	44,68	140		
OM030150	44,68	150		
OM030160	44,68	160		
OM030180	47,75	180		
OM030200	47,75	200		
OM030220	52,87	220		
OM030230	52,87	230		
OM030240	52,87	240		
OM030250	52,87	250		
OM030270	54,86	270		
OM030300	54,86	300		

Collare a muro

gsv 28



MONOPARETE INOX AISI 316L OVALE

CODICE	€ pz.	Q.tà	Ø	
OM094110	64,35	110		
OM094120	65,03	120		
OM094130	65,95	130		
OM094140	69,94	140		
OM094150	70,94	150		
OM094160	72,69	160		
OM094180	74,85	180		
OM094200	77,96	200		
OM094220	81,54	220		
OM094230	86,70	230		
OM094240	86,70	240		
OM094250	86,70	250		
OM094270	92,12	270		
OM094300	99,62	300		

MISURE DISPONIBILI

Ø di partenza (mm)	Misura di sviluppo ottenuto* (mm)	Ø equivalente - idraulico (mm)
110	70 x 140	93,3
120	70 x 155	96,4
120	85 x 145	107,2
130	70 x 170	99,2
130	100 x 155	121,6
140	80 x 180	110,8
140	100 x 175	127,3
140	120 x 160	137,1
150	100 x 185	129,8
150	120 x 170	140,7
160	70 x 220	106,2
160	80 x 215	116,6
160	100 x 200	133,3
160	120 x 190	147,1
160	130 x 180	151,0
160	145 x 175	158,6
180	80 x 240	120,0
180	105 x 230	144,2
180	120 x 220	155,3
180	140 x 210	168,0
180	150 x 200	171,4
200	85 x 275	129,9
200	105 x 260	149,6
200	130 x 250	171,1
200	140 x 240	176,8
200	150 x 230	181,6
200	170 x 220	191,8
210	125 x 265	169,9
210	150 x 250	187,5
220	90 x 310	139,5
220	90 x 300	138,5
220	110 x 290	159,5
220	125 x 280	172,8
220	140 x 270	184,4
220	155 x 260	194,2
220	170 x 250	202,4
230	175 x 265	210,8
230	200 x 250	222,2
240	105 x 320	158,1
240	150 x 300	200,0
240	175 x 275	213,9
250	110 x 340	166,2
250	125 x 330	181,3
250	140 x 320	194,8
250	160 x 310	211,1
250	180 x 290	222,1
250	200 x 280	233,3
250	220 x 270	242,4
260	200 x 300	240,0
260	220 x 280	246,4
270	140 x 350	200,0
270	150 x 350	210,0
270	160 x 340	217,6
270	180 x 330	232,9
270	210 x 310	250,4
300	160 x 380	225,2
300	180 x 370	242,2
300	200 x 360	257,1
300	210 x 350	262,5
300	230 x 340	274,4
320	170 x 415	241,2
320	215 x 385	275,9
320	230 x 380	286,6
350	230 x 420	297,2
350	290 x 390	332,6



PRIMA DELL'ACQUISTO SI RACCOMANDA DI VERIFICARE IL DIAMETRO IDRAULICO O LA SEZIONE UTILE NECESSARIA, CONSIDERATA LA FORMA OVALE DELLA CANNA FUMARIA.

ARTICOLI DA PRODURRE SU COMMESSA

* ULTERIORI MISURE DI SVILUPPO A RICHIESTA